

# Report for Fixi.nl

*Report Creator: Thomas Wagteveld, June 22, 2021*

*Evaluation Commissioner: Daniël de Klerk*

## Summary of the evaluation findings

This accessibility report has been performed using a public, well documented evaluation- and inspection method: WCAG-EM.

This report has been created using the report tool provided by <https://www.w3.org/WAI/eval/report-tool/#/> (<https://www.w3.org/WAI/eval/report-tool/#/>).

For the most part, the Fixi.nl app is accessible. There are some action points to take:

Identifying a required field with the aria-required property is not covered.

There are a few functional icons and images that lack ALT-Texts.

We will need to manually change page-title based on the current task the user will need to perform.

Besides that error and status messages need to be identified using ARIA attributes.

## Scope of the evaluation

<b>Website name</b>	Fixi.nl Alle webcontent van de publieke app versie van Fixi op 'https://www.fixi.nl' ( <a href="https://www.fixi.nl">https://www.fixi.nl</a> ). te verkrijgen in de App store en Play store.  De gekozen streekproef betreft de volgende processen: <ul style="list-style-type: none"><li>- Maken van een account</li><li>- Maken van een Melding</li><li>- Bekijken van openbare Meldingen</li><li>- Behandelen van een Melding</li><li>- Instellingen</li></ul>
<b>Scope of the website</b>	Bij het testen zijn de volgende besturingssystemen en software gebruikt: <ul style="list-style-type: none"><li>- Android 10</li><li>- Chrome 84</li><li>- Firefox 79</li><li>- Microsoft Edge 84</li><li>- Safari 13.1.2</li><li>- Android Text to Speech</li><li>- Apple Text to Speech</li></ul>
<b>WCAG Version</b>	WCAG 2.1
<b>Conformance target</b>	Level AA
<b>Additional evaluation requirements</b>	
<b>Accessibility support baseline</b>	Google Chrome 84, Microsoft Edge 84, Firefox 79 en Safari 13.1.2

**Relied upon technologies**

- HTML5
- HTML 4.01
- CSS
- WAI-ARIA
- ECMAScript 3
- ECMAScript 5
- DOM
- SVG

# Overview of audit results

Results of Level AA

Principle	Level A	Level AA
1. Perceivable	7 / 9	9 / 11
2. Operable	13 / 14	3 / 3
3. Understandable	5 / 5	5 / 5
4. Robust	2 / 2	0 / 1
<b>Total</b>	<b>27 / 30</b>	<b>17 / 20</b>

## Detailed audit results

### Principle 1 Perceivable

#### 1.1 Text Alternatives

##### 1.1.1 Non-text Content: (Level A)

[Show criterion text](#)

All non-text content that is presented to the user has a text alternative that serves the equivalent purpose, except for the situations listed below.

- **Controls, Input** If non-text content is a control or accepts user input, then it has a name that describes its purpose. (Refer to Guideline 4.1 for additional requirements for controls and content that accepts user input.)
- **Time-Based Media** If non-text content is time-based media, then text alternatives at least provide descriptive identification of the non-text content. (Refer to Guideline 1.2 for additional requirements for media.)
- **Test** If non-text content is a test or exercise that would be invalid if presented in text, then text alternatives at least provide descriptive identification of the non-text content.
- **Sensory** If non-text content is primarily intended to create a specific sensory experience, then text alternatives at least provide descriptive identification of the non-text content.
- **CAPTCHA** If the purpose of non-text content is to confirm that content is being accessed by a person rather than a computer, then text alternatives that identify and describe the purpose of the non-text content are provided, and alternative forms of CAPTCHA using output modes for different types of sensory perception are provided to accommodate different disabilities.
- **Decoration, Formatting, Invisible** If non-text content is pure decoration, is used only for visual formatting, or is not presented to users, then it is implemented in a way that it can be ignored by assistive technology.

Understanding [🔗](http://www.w3.org/WAI/WCAG21/Understanding/non-text-content.html) (http://www.w3.org/WAI/WCAG21/Understanding/non-text-content.html) How to meet [🔗](http://www.w3.org/WAI/WCAG21/quickref/#non-text-content) (http://www.w3.org/WAI/WCAG21/quickref/#non-text-content)

Results for the entire sample:

**Outcome:** Failed

**Findings:** There are a few functional icons and images that lack ALT-Texts

## 1.2 Time-based Media

### 1.2.1 Audio-only and Video-only (Prerecorded): (Level A)

 Show criterion text

For prerecorded audio-only and prerecorded video-only media, the following are true, except when the audio or video is a media alternative for text and is clearly labeled as such:

- **Prerecorded Audio-only** An alternative for time-based media is provided that presents equivalent information for prerecorded audio-only content.
- **Prerecorded Video-only** Either an alternative for time-based media or an audio track is provided that presents equivalent information for prerecorded video-only content.

Understanding  (<http://www.w3.org/WAI/WCAG21/Understanding/audio-only-and-video-only-prerecorded.html>) How to meet  (<http://www.w3.org/WAI/WCAG21/quickref/#audio-only-and-video-only-prerecorded>)

Results for the entire sample:

**Outcome:** Not present

**Findings:** –

### 1.2.2 Captions (Prerecorded): (Level A)

 Show criterion text

Captions are provided for all prerecorded audio content in synchronized media, except when the media is a media alternative for text and is clearly labeled as such.

Understanding  (<http://www.w3.org/WAI/WCAG21/Understanding/captions-prerecorded.html>) How to meet  (<http://www.w3.org/WAI/WCAG21/quickref/#captions-prerecorded>)

Results for the entire sample:

**Outcome:** Not present

**Findings:** –

### 1.2.3 Audio Description or Media Alternative (Prerecorded): (Level A)

 Show criterion text

An alternative for time-based media or audio description of the prerecorded video content is provided for synchronized media, except when the media is a media alternative for text and is clearly labeled as such.

Understanding  (<http://www.w3.org/WAI/WCAG21/Understanding/audio-description-or-media-alternative-prerecorded.html>) How to meet  (<http://www.w3.org/WAI/WCAG21/quickref/#audio-description-or-media-alternative-prerecorded>)

Results for the entire sample:

**Outcome:** Not present

**Findings:** –

### 1.2.4 Captions (Live): (Level AA)

 Show criterion text

Captions are provided for all live audio content in synchronized media.

Understanding  (<http://www.w3.org/WAI/WCAG21/Understanding/captions-live.html>) How to meet  (<http://www.w3.org/WAI/WCAG21/quickref/#captions-live>)

Results for the entire sample:

**Outcome:** Not present

**Findings:** –

### 1.2.5 Audio Description (Prerecorded): (Level AA)

 Show criterion text

Audio description is provided for all prerecorded video content in synchronized media.

Understanding  (<http://www.w3.org/WAI/WCAG21/Understanding/audio-description-prerecorded.html>)

How to meet  (<http://www.w3.org/WAI/WCAG21/quickref/#audio-description-prerecorded>)

Results for the entire sample:

**Outcome:** Not present

**Findings:** –

## 1.3 Adaptable

### 1.3.1 Info and Relationships: (Level A)

 Show criterion text

Information, structure, and relationships conveyed through presentation can be programmatically determined or are available in text.

Understanding  (<http://www.w3.org/WAI/WCAG21/Understanding/info-and-relationships.html>)

How to meet  (<http://www.w3.org/WAI/WCAG21/quickref/#info-and-relationships>)

Results for the entire sample:

**Outcome:** Failed

**Findings:** ARIA2: Identifying a required field with the aria-required property is not covered

Korte beschrijving:

Een verplicht veld is niet door identificeerbaar met de ARIA-REQUIRED eigenschap.

Oorzaak:

De afwijking op de toegankelijkheidsstandaard kon niet op tijd worden verholpen.

Gevolg:

Niet alle verplichte velden zijn waarneembaar voor de gebruiker.

Alternatief:

Geen alternatief

Maatregel:

Het ARIA-REQUIRED attribuut zal in de toekomst alsnog gehanteerd worden.

Planning:

01-01-2022

Brengt de uitvoering van de hier beschreven maatregel een onevenredige last met zich mee?  
Nee.

### 1.3.2 Meaningful Sequence: (Level A)

 Show criterion text

When the sequence in which content is presented affects its meaning, a correct reading sequence can be programmatically determined.

Understanding [🔗](http://www.w3.org/WAI/WCAG21/Understanding/meaningful-sequence.html) (http://www.w3.org/WAI/WCAG21/Understanding/meaningful-sequence.html) How to meet [🔗](http://www.w3.org/WAI/WCAG21/quickref/#meaningful-sequence) (http://www.w3.org/WAI/WCAG21/quickref/#meaningful-sequence)

Results for the entire sample:

**Outcome:** Passed

**Findings:** –

### 1.3.3 Sensory Characteristics: (Level A)

 Show criterion text

Instructions provided for understanding and operating content do not rely solely on sensory characteristics of components such as shape, size, visual location, orientation, or sound.

Understanding [🔗](http://www.w3.org/WAI/WCAG21/Understanding/sensory-characteristics.html) (http://www.w3.org/WAI/WCAG21/Understanding/sensory-characteristics.html) How to meet [🔗](http://www.w3.org/WAI/WCAG21/quickref/#sensory-characteristics) (http://www.w3.org/WAI/WCAG21/quickref/#sensory-characteristics)

Results for the entire sample:

**Outcome:** Passed

**Findings:** –

### 1.3.4 Orientation: (Level AA)

 Show criterion text

Content does not restrict its view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

Understanding [🔗](http://www.w3.org/WAI/WCAG21/Understanding/orientation.html) (http://www.w3.org/WAI/WCAG21/Understanding/orientation.html) How to meet [🔗](http://www.w3.org/WAI/WCAG21/quickref/#orientation) (http://www.w3.org/WAI/WCAG21/quickref/#orientation)

Results for the entire sample:

**Outcome:** Passed

**Findings:** –

### 1.3.5 Identify Input Purpose: (Level AA)

 Show criterion text

The purpose of each input field collecting information about the user can be programmatically determined when:

- The input field serves a purpose identified in the Input Purposes for User Interface Components section; and
- The content is implemented using technologies with support for identifying the expected meaning for form input data.

Understanding [🔗](http://www.w3.org/WAI/WCAG21/Understanding/identify-input-purpose.html) (http://www.w3.org/WAI/WCAG21/Understanding/identify-input-purpose.html) How to meet [🔗](http://www.w3.org/WAI/WCAG21/quickref/#identify-input-purpose) (http://www.w3.org/WAI/WCAG21/quickref/#identify-input-purpose)

Results for the entire sample:

**Outcome:** Passed

**Findings:** –

## 1.4 Distinguishable

#### 1.4.1 Use of Color: (Level A)

[Show criterion text](#)

Color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.

Understanding [🔗](http://www.w3.org/WAI/WCAG21/Understanding/use-of-color.html) (http://www.w3.org/WAI/WCAG21/Understanding/use-of-color.html) How to meet [🔗](http://www.w3.org/WAI/WCAG21/quickref/#use-of-color) (http://www.w3.org/WAI/WCAG21/quickref/#use-of-color)

Results for the entire sample:

**Outcome:** Passed

**Findings:** –

#### 1.4.2 Audio Control: (Level A)

[Show criterion text](#)

If any audio on a Web page plays automatically for more than 3 seconds, either a mechanism is available to pause or stop the audio, or a mechanism is available to control audio volume independently from the overall system volume level.

Understanding [🔗](http://www.w3.org/WAI/WCAG21/Understanding/audio-control.html) (http://www.w3.org/WAI/WCAG21/Understanding/audio-control.html) How to meet [🔗](http://www.w3.org/WAI/WCAG21/quickref/#audio-control) (http://www.w3.org/WAI/WCAG21/quickref/#audio-control)

Results for the entire sample:

**Outcome:** Not present

**Findings:** –

#### 1.4.3 Contrast (Minimum): (Level AA)

[Show criterion text](#)

The visual presentation of text and images of text has a contrast ratio of at least 4.5:1, except for the following:

- **Large Text** Large-scale text and images of large-scale text have a contrast ratio of at least 3:1;
- **Incidental** Text or images of text that are part of an inactive user interface component, that are pure decoration, that are not visible to anyone, or that are part of a picture that contains significant other visual content, have no contrast requirement.
- **Logotypes** Text that is part of a logo or brand name has no minimum contrast requirement.

Understanding [🔗](http://www.w3.org/WAI/WCAG21/Understanding/contrast-minimum.html) (http://www.w3.org/WAI/WCAG21/Understanding/contrast-minimum.html) How to meet [🔗](http://www.w3.org/WAI/WCAG21/quickref/#contrast-minimum) (http://www.w3.org/WAI/WCAG21/quickref/#contrast-minimum)

Results for the entire sample:

**Outcome:** Passed

**Findings:** –

#### 1.4.4 Resize text: (Level AA)

[Show criterion text](#)

Except for captions and images of text, text can be resized without assistive technology up to 200 percent without loss of content or functionality.

Understanding [🔗](http://www.w3.org/WAI/WCAG21/Understanding/resize-text.html) (http://www.w3.org/WAI/WCAG21/Understanding/resize-text.html) How to meet [🔗](http://www.w3.org/WAI/WCAG21/quickref/#resize-text) (http://www.w3.org/WAI/WCAG21/quickref/#resize-text)

Results for the entire sample:

**Outcome:** Failed

**Findings:** Text schaal niet mee zonder andere elementen te verdrukken.

#### 1.4.5 Images of Text: (Level AA)

 Show criterion text

If the technologies being used can achieve the visual presentation, text is used to convey information rather than images of text except for the following:

- **Customizable** The image of text can be visually customized to the user's requirements;
- **Essential** A particular presentation of text is essential to the information being conveyed.

Understanding  (<http://www.w3.org/WAI/WCAG21/Understanding/images-of-text.html>) How to meet  (<http://www.w3.org/WAI/WCAG21/quickref/#images-of-text>)

Results for the entire sample:

**Outcome:** Not present

**Findings:** –

#### 1.4.10 Reflow: (Level AA)

 Show criterion text

Content can be presented without loss of information or functionality, and without requiring scrolling in two dimensions for:

- Vertical scrolling content at a width equivalent to 320 CSS pixels;
- Horizontal scrolling content at a height equivalent to 256 CSS pixels;

Understanding  (<http://www.w3.org/WAI/WCAG21/Understanding/reflow.html>) How to meet  (<http://www.w3.org/WAI/WCAG21/quickref/#reflow>)

Results for the entire sample:

**Outcome:** Failed

**Findings:** App staat geen landschapmode toe & tekst valt soms van het scherm af

#### 1.4.11 Non-text Contrast: (Level AA)

 Show criterion text

The visual presentation of the following have a contrast ratio of at least 3:1 against adjacent color(s):

- **User Interface Components** Visual information required to identify user interface components and states, except for inactive components or where the appearance of the component is determined by the user agent and not modified by the author;
- **Graphical Objects** Parts of graphics required to understand the content, except when a particular presentation of graphics is essential to the information being conveyed.

Understanding  (<http://www.w3.org/WAI/WCAG21/Understanding/non-text-contrast.html>) How to meet  (<http://www.w3.org/WAI/WCAG21/quickref/#non-text-contrast>)

Results for the entire sample:

**Outcome:** Passed

**Findings:** –

#### 1.4.12 Text Spacing: (Level AA)

[Show criterion text](#)

In content implemented using markup languages that support the following text style properties, no loss of content or functionality occurs by setting all of the following and by changing no other style property:

- Line height (line spacing) to at least 1.5 times the font size;
- Spacing following paragraphs to at least 2 times the font size;
- Letter spacing (tracking) to at least 0.12 times the font size;
- Word spacing to at least 0.16 times the font size.

Understanding [🔗](http://www.w3.org/WAI/WCAG21/Understanding/text-spacing.html) (http://www.w3.org/WAI/WCAG21/Understanding/text-spacing.html) How to meet [🔗](http://www.w3.org/WAI/WCAG21/quickref/#text-spacing) (http://www.w3.org/WAI/WCAG21/quickref/#text-spacing)

Results for the entire sample:

**Outcome:** Passed

**Findings:** –

#### 1.4.13 Content on Hover or Focus: (Level AA)

[Show criterion text](#)

Where receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden, the following are true:

- **Dismissable** A mechanism is available to dismiss the additional content without moving pointer hover or keyboard focus, unless the additional content communicates an input error or does not obscure or replace other content;
- **Hoverable** If pointer hover can trigger the additional content, then the pointer can be moved over the additional content without the additional content disappearing;
- **Persistent** The additional content remains visible until the hover or focus trigger is removed, the user dismisses it, or its information is no longer valid.

Understanding [🔗](http://www.w3.org/WAI/WCAG21/Understanding/content-on-hover-or-focus.html) (http://www.w3.org/WAI/WCAG21/Understanding/content-on-hover-or-focus.html) How to meet [🔗](http://www.w3.org/WAI/WCAG21/quickref/#content-on-hover-or-focus) (http://www.w3.org/WAI/WCAG21/quickref/#content-on-hover-or-focus)

Results for the entire sample:

**Outcome:** Not present

**Findings:** –

## Principle 2 Operable

### 2.1 Keyboard Accessible

#### 2.1.1 Keyboard: (Level A)

[Show criterion text](#)

All functionality of the content is operable through a keyboard interface without requiring specific timings for individual keystrokes, except where the underlying function requires input that depends on the path of the user's movement and not just the endpoints.

Understanding [🔗](http://www.w3.org/WAI/WCAG21/Understanding/keyboard.html) (http://www.w3.org/WAI/WCAG21/Understanding/keyboard.html) How to meet [🔗](http://www.w3.org/WAI/WCAG21/quickref/#keyboard) (http://www.w3.org/WAI/WCAG21/quickref/#keyboard)

Results for the entire sample:

**Outcome:** Passed

**Findings:** –

### 2.1.2 No Keyboard Trap: (Level A)

[Show criterion text](#)

If keyboard focus can be moved to a component of the page using a keyboard interface, then focus can be moved away from that component using only a keyboard interface, and, if it requires more than unmodified arrow or tab keys or other standard exit methods, the user is advised of the method for moving focus away.

Understanding [🔗](http://www.w3.org/WAI/WCAG21/Understanding/no-keyboard-trap.html) (http://www.w3.org/WAI/WCAG21/Understanding/no-keyboard-trap.html) How to meet [🔗](http://www.w3.org/WAI/WCAG21/quickref/#no-keyboard-trap) (http://www.w3.org/WAI/WCAG21/quickref/#no-keyboard-trap)

Results for the entire sample:

**Outcome:** Not present

**Findings:** –

### 2.1.4 Character Key Shortcuts: (Level A)

[Show criterion text](#)

If a keyboard shortcut is implemented in content using only letter (including upper- and lower-case letters), punctuation, number, or symbol characters, then at least one of the following is true:

- **Turn off** A mechanism is available to turn the shortcut off;
- **Remap** A mechanism is available to remap the shortcut to use one or more non-printable keyboard characters (e.g. Ctrl, Alt, etc);
- **Active only on focus** The keyboard shortcut for a user interface component is only active when that component has focus.

Understanding [🔗](http://www.w3.org/WAI/WCAG21/Understanding/character-key-shortcuts.html) (http://www.w3.org/WAI/WCAG21/Understanding/character-key-shortcuts.html) How to meet [🔗](http://www.w3.org/WAI/WCAG21/quickref/#character-key-shortcuts) (http://www.w3.org/WAI/WCAG21/quickref/#character-key-shortcuts)

Results for the entire sample:

**Outcome:** Not present

**Findings:** –

## 2.2 Enough Time

### 2.2.1 Timing Adjustable: (Level A)

[Show criterion text](#)

For each time limit that is set by the content, at least one of the following is true:

- **Turn off** The user is allowed to turn off the time limit before encountering it; or
- **Adjust** The user is allowed to adjust the time limit before encountering it over a wide range that is at least ten times the length of the default setting; or
- **Extend** The user is warned before time expires and given at least 20 seconds to extend the time limit with a simple action (for example, "press the space bar"), and the user is allowed to extend the time limit at least ten times; or
- **Real-time Exception** The time limit is a required part of a real-time event (for example, an auction), and no alternative to the time limit is possible; or
- **Essential Exception** The time limit is essential and extending it would invalidate the activity; or
- **20 Hour Exception** The time limit is longer than 20 hours.

Understanding [🔗](http://www.w3.org/WAI/WCAG21/Understanding/timing-adjustable.html) (http://www.w3.org/WAI/WCAG21/Understanding/timing-adjustable.html) How to meet [🔗](http://www.w3.org/WAI/WCAG21/quickref/#timing-adjustable) (http://www.w3.org/WAI/WCAG21/quickref/#timing-adjustable)

Results for the entire sample:

**Outcome:** Not present

**Findings:** –

### 2.2.2 Pause, Stop, Hide: (Level A)

 Show criterion text

For moving, blinking, scrolling, or auto-updating information, all of the following are true:

- **Moving, blinking, scrolling** For any moving, blinking or scrolling information that (1) starts automatically, (2) lasts more than five seconds, and (3) is presented in parallel with other content, there is a mechanism for the user to pause, stop, or hide it unless the movement, blinking, or scrolling is part of an activity where it is essential; and
- **Auto-updating** For any auto-updating information that (1) starts automatically and (2) is presented in parallel with other content, there is a mechanism for the user to pause, stop, or hide it or to control the frequency of the update unless the auto-updating is part of an activity where it is essential.

Understanding  (<http://www.w3.org/WAI/WCAG21/Understanding/pause-stop-hide.html>) How to meet  (<http://www.w3.org/WAI/WCAG21/quickref/#pause-stop-hide>)

Results for the entire sample:

**Outcome:** Not present

**Findings:** –

## 2.3 Seizures and Physical Reactions

### 2.3.1 Three Flashes or Below Threshold: (Level A)

 Show criterion text

Web pages do not contain anything that flashes more than three times in any one second period, or the flash is below the general flash and red flash thresholds.

Understanding  (<http://www.w3.org/WAI/WCAG21/Understanding/three-flashes-or-below-threshold.html>) How to meet  (<http://www.w3.org/WAI/WCAG21/quickref/#three-flashes-or-below-threshold>)

Results for the entire sample:

**Outcome:** Not present

**Findings:** –

## 2.4 Navigable

### 2.4.1 Bypass Blocks: (Level A)

 Show criterion text

A mechanism is available to bypass blocks of content that are repeated on multiple Web pages.

Understanding  (<http://www.w3.org/WAI/WCAG21/Understanding/bypass-blocks.html>) How to meet  (<http://www.w3.org/WAI/WCAG21/quickref/#bypass-blocks>)

Results for the entire sample:

**Outcome:** Passed

**Findings:** –

### 2.4.2 Page Titled: (Level A)

 Show criterion text

Web pages have titles that describe topic or purpose.

Understanding  (<http://www.w3.org/WAI/WCAG21/Understanding/page-titled.html>) How to meet   
(<http://www.w3.org/WAI/WCAG21/quickref/#page-titled>)

Results for the entire sample:

**Outcome:** Failed

**Findings:** Pages have a title, although the title does not change between different areas.

Korte beschrijving:

Pagina's hebben een titel. Echter doordat het een single-page applicatie betreft veranderd de titel niet tussen de verschillende pagina's.

Oorzaak:

Fixi en de login pagina zijn single-page applicaties.

Gevolg:

Pagina titels beschrijven niet adequaat waar de betreffende pagina over gaat.

Alternatief:

Geen alternatief

Maatregel:

We gaan onderzoek doen naar de mogelijkheden om handmatig titels aan pagina's toe te voegen binnen de structuur van de single-page applicatie. Als dit mogelijk is passen wij dit toe.

Planning:

01-01-2022

Brengt de uitvoering van de hier beschreven maatregel een onevenredige last met zich mee?

Nee.

### 2.4.3 Focus Order: (Level A)

 Show criterion text

If a Web page can be navigated sequentially and the navigation sequences affect meaning or operation, focusable components receive focus in an order that preserves meaning and operability.

Understanding  (<http://www.w3.org/WAI/WCAG21/Understanding/focus-order.html>) How to meet   
(<http://www.w3.org/WAI/WCAG21/quickref/#focus-order>)

Results for the entire sample:

**Outcome:** Passed

**Findings:** –

### 2.4.4 Link Purpose (In Context): (Level A)

 Show criterion text

The purpose of each link can be determined from the link text alone or from the link text together with its programmatically determined link context, except where the purpose of the link would be ambiguous to users in general.

Understanding  (<http://www.w3.org/WAI/WCAG21/Understanding/link-purpose-in-context.html>) How to meet   
(<http://www.w3.org/WAI/WCAG21/quickref/#link-purpose-in-context>)

Results for the entire sample:

**Outcome:** Passed

**Findings:** –

#### 2.4.5 Multiple Ways: (Level AA)

 Show criterion text

More than one way is available to locate a Web page within a set of Web pages except where the Web Page is the result of, or a step in, a process.

Understanding  (<http://www.w3.org/WAI/WCAG21/Understanding/multiple-ways.html>) How to meet  (<http://www.w3.org/WAI/WCAG21/quickref/#multiple-ways>)

Results for the entire sample:

**Outcome:** Not present

**Findings:** This point does not apply to the design of Fixi since reports are highly location based and get removed automatically in time. Therefore the individual report isn't too relevant to find. Instead users can search for relevant locations nearby and see whether existing reports show up that document the same findings as they do. They can re-find their report by looking at their own list of reports or looking at the report in the locations they made it.

#### 2.4.6 Headings and Labels: (Level AA)

 Show criterion text

Headings and labels describe topic or purpose.

Understanding  (<http://www.w3.org/WAI/WCAG21/Understanding/headings-and-labels.html>) How to meet  (<http://www.w3.org/WAI/WCAG21/quickref/#headings-and-labels>)

Results for the entire sample:

**Outcome:** Passed

**Findings:** –

#### 2.4.7 Focus Visible: (Level AA)

 Show criterion text

Any keyboard operable user interface has a mode of operation where the keyboard focus indicator is visible.

Understanding  (<http://www.w3.org/WAI/WCAG21/Understanding/focus-visible.html>) How to meet  (<http://www.w3.org/WAI/WCAG21/quickref/#focus-visible>)

Results for the entire sample:

**Outcome:** Passed

**Findings:** –

## 2.5 Input Modalities

#### 2.5.1 Pointer Gestures: (Level A)

 Show criterion text

All functionality that uses multipoint or path-based gestures for operation can be operated with a single pointer without a path-based gesture, unless a multipoint or path-based gesture is essential.

Understanding  (<http://www.w3.org/WAI/WCAG21/Understanding/pointer-gestures.html>) How to meet  (<http://www.w3.org/WAI/WCAG21/quickref/#pointer-gestures>)

Results for the entire sample:

**Outcome:** Not present

**Findings:** –

### 2.5.2 Pointer Cancellation: (Level A)

 Show criterion text

For functionality that can be operated using a single pointer, at least one of the following is true:

- **No Down-Event** The down-event of the pointer is not used to execute any part of the function;
- **Abort or Undo** Completion of the function is on the up-event, and a mechanism is available to abort the function before completion or to undo the function after completion;
- **Up Reversal** The up-event reverses any outcome of the preceding down-event;
- **Essential** Completing the function on the down-event is essential.

Understanding  (<http://www.w3.org/WAI/WCAG21/Understanding/pointer-cancellation.html>) How to meet  (<http://www.w3.org/WAI/WCAG21/quickref/#pointer-cancellation>)

Results for the entire sample:

**Outcome:** Passed

**Findings:** –

### 2.5.3 Label in Name: (Level A)

 Show criterion text

For user interface components with labels that include text or images of text, the name contains the text that is presented visually.

Understanding  (<http://www.w3.org/WAI/WCAG21/Understanding/label-in-name.html>) How to meet  (<http://www.w3.org/WAI/WCAG21/quickref/#label-in-name>)

Results for the entire sample:

**Outcome:** Passed

**Findings:** –

### 2.5.4 Motion Actuation: (Level A)

 Show criterion text

Functionality that can be operated by device motion or user motion can also be operated by user interface components and responding to the motion can be disabled to prevent accidental actuation, except when:

- **Supported Interface** The motion is used to operate functionality through an accessibility supported interface;
- **Essential** The motion is essential for the function and doing so would invalidate the activity.

Understanding  (<http://www.w3.org/WAI/WCAG21/Understanding/motion-actuation.html>) How to meet  (<http://www.w3.org/WAI/WCAG21/quickref/#motion-actuation>)

Results for the entire sample:

**Outcome:** Not present

**Findings:** –

# Principle 3 Understandable

## 3.1 Readable

### 3.1.1 Language of Page: (Level A)

[Show criterion text](#)

The default human language of each Web page can be programmatically determined.

Understanding [🔗](http://www.w3.org/WAI/WCAG21/Understanding/language-of-page.html) (http://www.w3.org/WAI/WCAG21/Understanding/language-of-page.html) How to meet [🔗](http://www.w3.org/WAI/WCAG21/quickref/#language-of-page) (http://www.w3.org/WAI/WCAG21/quickref/#language-of-page)

Results for the entire sample:

**Outcome:** Passed

**Findings:** –

### 3.1.2 Language of Parts: (Level AA)

[Show criterion text](#)

The human language of each passage or phrase in the content can be programmatically determined except for proper names, technical terms, words of indeterminate language, and words or phrases that have become part of the vernacular of the immediately surrounding text.

Understanding [🔗](http://www.w3.org/WAI/WCAG21/Understanding/language-of-parts.html) (http://www.w3.org/WAI/WCAG21/Understanding/language-of-parts.html) How to meet [🔗](http://www.w3.org/WAI/WCAG21/quickref/#language-of-parts) (http://www.w3.org/WAI/WCAG21/quickref/#language-of-parts)

Results for the entire sample:

**Outcome:** Passed

**Findings:** –

## 3.2 Predictable

### 3.2.1 On Focus: (Level A)

[Show criterion text](#)

When any component receives focus, it does not initiate a change of context.

Understanding [🔗](http://www.w3.org/WAI/WCAG21/Understanding/on-focus.html) (http://www.w3.org/WAI/WCAG21/Understanding/on-focus.html) How to meet [🔗](http://www.w3.org/WAI/WCAG21/quickref/#on-focus) (http://www.w3.org/WAI/WCAG21/quickref/#on-focus)

Results for the entire sample:

**Outcome:** Passed

**Findings:** –

### 3.2.2 On Input: (Level A)

[Show criterion text](#)

Changing the setting of any user interface component does not automatically cause a change of context unless the user has been advised of the behavior before using the component.

Understanding [🔗](http://www.w3.org/WAI/WCAG21/Understanding/on-input.html) (http://www.w3.org/WAI/WCAG21/Understanding/on-input.html) How to meet [🔗](http://www.w3.org/WAI/WCAG21/quickref/#on-input) (http://www.w3.org/WAI/WCAG21/quickref/#on-input)

Results for the entire sample:

**Outcome:** Passed

**Findings:** –

### 3.2.3 Consistent Navigation: (Level AA)

[Show criterion text](#)

Navigational mechanisms that are repeated on multiple Web pages within a set of Web pages occur in the same relative order each time they are repeated, unless a change is initiated by the user.

Understanding [🔗](http://www.w3.org/WAI/WCAG21/Understanding/consistent-navigation.html) (http://www.w3.org/WAI/WCAG21/Understanding/consistent-navigation.html) How to meet [🔗](http://www.w3.org/WAI/WCAG21/quickref/#consistent-navigation) (http://www.w3.org/WAI/WCAG21/quickref/#consistent-navigation)

Results for the entire sample:

**Outcome:** Passed

**Findings:** –

### 3.2.4 Consistent Identification: (Level AA)

[Show criterion text](#)

Components that have the same functionality within a set of Web pages are identified consistently.

Understanding [🔗](http://www.w3.org/WAI/WCAG21/Understanding/consistent-identification.html) (http://www.w3.org/WAI/WCAG21/Understanding/consistent-identification.html) How to meet [🔗](http://www.w3.org/WAI/WCAG21/quickref/#consistent-identification) (http://www.w3.org/WAI/WCAG21/quickref/#consistent-identification)

Results for the entire sample:

**Outcome:** Passed

**Findings:** –

## 3.3 Input Assistance

### 3.3.1 Error Identification: (Level A)

[Show criterion text](#)

If an input error is automatically detected, the item that is in error is identified and the error is described to the user in text.

Understanding [🔗](http://www.w3.org/WAI/WCAG21/Understanding/error-identification.html) (http://www.w3.org/WAI/WCAG21/Understanding/error-identification.html) How to meet [🔗](http://www.w3.org/WAI/WCAG21/quickref/#error-identification) (http://www.w3.org/WAI/WCAG21/quickref/#error-identification)

Results for the entire sample:

**Outcome:** Passed

**Findings:** –

### 3.3.2 Labels or Instructions: (Level A)

[Show criterion text](#)

Labels or instructions are provided when content requires user input.

Understanding [🔗](http://www.w3.org/WAI/WCAG21/Understanding/labels-or-instructions.html) (http://www.w3.org/WAI/WCAG21/Understanding/labels-or-instructions.html) How to meet [🔗](http://www.w3.org/WAI/WCAG21/quickref/#labels-or-instructions) (http://www.w3.org/WAI/WCAG21/quickref/#labels-or-instructions)

Results for the entire sample:

**Outcome:** Passed

**Findings:** –

### 3.3.3 Error Suggestion: (Level AA)

[Show criterion text](#)

If an input error is automatically detected and suggestions for correction are known, then the suggestions are provided to the user, unless it would jeopardize the security or purpose of the content.

Understanding [🔗](http://www.w3.org/WAI/WCAG21/Understanding/error-suggestion.html) (http://www.w3.org/WAI/WCAG21/Understanding/error-suggestion.html) How to meet [🔗](http://www.w3.org/WAI/WCAG21/quickref/#error-suggestion) (http://www.w3.org/WAI/WCAG21/quickref/#error-suggestion)

Results for the entire sample:

**Outcome:** Passed

**Findings:** –

### 3.3.4 Error Prevention (Legal, Financial, Data): (Level AA)

 Show criterion text

For Web pages that cause legal commitments or financial transactions for the user to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses, at least one of the following is true:

1. **Reversible** Submissions are reversible.
2. **Checked** Data entered by the user is checked for input errors and the user is provided an opportunity to correct them.
3. **Confirmed** A mechanism is available for reviewing, confirming, and correcting information before finalizing the submission.

Understanding [🔗](http://www.w3.org/WAI/WCAG21/Understanding/error-prevention-legal-financial-data.html) (http://www.w3.org/WAI/WCAG21/Understanding/error-prevention-legal-financial-data.html) How to meet [🔗](http://www.w3.org/WAI/WCAG21/quickref/#error-prevention-legal-financial-data) (http://www.w3.org/WAI/WCAG21/quickref/#error-prevention-legal-financial-data)

Results for the entire sample:

**Outcome:** Not present

**Findings:** –

## Principle 4 Robust

### 4.1 Compatible

#### 4.1.1 Parsing: (Level A)

 Show criterion text

In content implemented using markup languages, elements have complete start and end tags, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.

Understanding [🔗](http://www.w3.org/WAI/WCAG21/Understanding/parsing.html) (http://www.w3.org/WAI/WCAG21/Understanding/parsing.html) How to meet [🔗](http://www.w3.org/WAI/WCAG21/quickref/#parsing) (http://www.w3.org/WAI/WCAG21/quickref/#parsing)

Results for the entire sample:

**Outcome:** Passed

**Findings:** –

#### 4.1.2 Name, Role, Value: (Level A)

 Show criterion text

For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and values that can be set by the user can be programmatically set; and notification of changes to these items

is available to user agents, including assistive technologies.

Understanding  (<http://www.w3.org/WAI/WCAG21/Understanding/name-role-value.html>) How to meet  (<http://www.w3.org/WAI/WCAG21/quickref/#name-role-value>)

Results for the entire sample:

**Outcome:** Passed

**Findings:** –

#### 4.1.3 Status Messages: (Level AA)

 Show criterion text

In content implemented using markup languages, status messages can be programmatically determined through role or properties such that they can be presented to the user by assistive technologies without receiving focus.

Understanding  (<http://www.w3.org/WAI/WCAG21/Understanding/status-messages.html>) How to meet  (<http://www.w3.org/WAI/WCAG21/quickref/#status-messages>)

Results for the entire sample:

**Outcome:** Failed

**Findings:** Korte beschrijving:

Statusberichten ontbreken voor fout- en succesberichten.

Oorzaak:

De afwijking op de toegankelijkheidsstandaard kon niet op tijd worden verholpen.

Gevolg:

Fout- en succesberichten zijn minder goed waarneembaar.

Alternatief:

Geen alternatief.

Maatregel:

In de toekomst zullen statusberichten opnieuw gemaakt worden met dit criteria in het achterhoofd.

Planning:

01-01-2022

Brengt de uitvoering van de hier beschreven maatregel een onevenredige last met zich mee?

Nee.

## Sample of audited web pages

## Related WCAG 2 resources

- Web Content Accessibility Guidelines (WCAG) (<http://www.w3.org/WAI/standards-guidelines/wcag/>)  
Overview: [www.w3.org/WAI/intro/wcag](http://www.w3.org/WAI/intro/wcag)
- How to Meet WCAG 2.1 Quick Reference (<http://www.w3.org/WAI/WCAG21/quickref/>)  
[www.w3.org/WAI/WCAG21/quickref/](http://www.w3.org/WAI/WCAG21/quickref/)
- WCAG Evaluation Methodology (WCAG-EM) (<http://www.w3.org/WAI/eval/conformance>)  
Overview: [www.w3.org/WAI/eval/conformance](http://www.w3.org/WAI/eval/conformance)